	Hits	Search Text	DBs
1	0	S1 and (ole adj2 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	0	S3 and (digital adj right$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	11	S3 and (digital adj right$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	95	S1 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	39	S6 and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	3	S7 and selector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	2	S8 and calculat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	0	(digital adj right$5 adj source).ab. and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	3	(encod$6 and (digital adj right$5) and key).ab. and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	0	S11 and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	183	(digital adj rights).ab. and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	3	(digital adj signature adj calculation).ab. and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	24	(digital adj signature adj calculation) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	0	S14 and assembler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	0	S14 and assemble	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	14	S1 and (encod$6 NEAR3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	14	S17 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	21	S14 and select$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	0	S14 and (select$6 NEAR5 security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	36	((digital adj signature) near5 assembl$5) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	0	S21 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	33	((digital adj signature) near4 assembl$5) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	31	((digital adj signature) near3 assembl$5) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	28	((digital adj signature) near2 assembl$5) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	0	((digital adj signature) near2 assembl$5) and (select with security with parameter) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
26	0	((digital adj signature) near2 assembl$5) and (select$5 with security with parameter) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	314	(select$5 with security with parameter) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	12	(select$5 near2 (security adj parameter)) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	0	S29 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	3	"760805".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	109	(signature adj calculation) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	25	(signature adj calculation).ab. and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	0	S33 and (digital adj rights)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	2	(((digital adj signature) near2 assembl$5) with key) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
35	56	(ole adj link) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	2	(((digital adj signature) near2 assembl$5) with key) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	0	S36 and permission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	1	S36 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	0	((xml adj encoder) same (digital adj rights))and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	4	((xml adj encoder))and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	6	((xml adj encoder)) and (@pd<"20030927" or @ad<"20030927" or @rlad<"20030927" or @rlpd<"20030927")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	488	((xml adj encod$5)) and (@pd<"20030927" or @ad<"20030927" or @rlad<"20030927" or @rlpd<"20030927")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	11	S42 and (digital adj right$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	1	((xml adj encod$5) same (digital adj right$3)) and (@pd<"20030927" or @ad<"20030927" or @rlad<"20030927" or @rlpd<"20030927")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
45	45	((xml) same (digital adj right$3)) and (@pd<"20030927" or @ad<"20030927" or @rlad<"20030927" or @rlpd<"20030927")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	57	(ole adj link) and (@pd<"20010711" or @ad<"20010711" or @rlad<"20010711" or @rlpd<"20010711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	23	S46 and (encod$6 and decode$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	23	S46 and (encod$6 and decod$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	23	S46 and (encod$6 same decod$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	0	S58 and (digital adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	45	(key near10 xml).ab. and (@pd<"20030927" or @ad<"20030927" or @rlad<"20030927" or @rlpd<"20030927")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	5	((digital adj2 right$5 adj2 key$2)).ab. and (@pd<"20030927" or @ad<"20030927" or @rlad<"20030927" or @rlpd<"20030927")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	1	S52 and (key same xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	82	S53 and (generat$6 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	72	S65 and (xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	0	S62 and (key same xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	1	S53 and (key near5 xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	0	S53 and (generat$6 near5 key near5 xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	0	S58 and (digital adj right)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
60	580	((digital adj right$2)).ab. and (@pd<"20030927" or @ad<"20030927" or @rlad<"20030927" or @rlpd<"20030927")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	0	(encod$6 and (digital adj right$5 adj key)).ab. and (@pd<"20030927" or @ad<"20030927" or @rlad<"20030927" or @rlpd<"20030927")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	2	S68 and (key near5 xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	7	S53 and (key near10 xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	388	((digital adj key)).ab. and (@pd<"20030927" or @ad<"20030927" or @rlad<"20030927" or @rlpd<"20030927")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	0	S58 and (digital adj right).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	0	S65 and (xml near5 encoder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	3	((digital adj right$5 adj key)).ab. and (@pd<"20030927" or @ad<"20030927" or @rlad<"20030927" or @rlpd<"20030927")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	1	S52 and (key near5 xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	481	((digital adj right$5 adj management)).ab. and (@pd<"20030927" or @ad<"20030927" or @rlad<"20030927" or @rlpd<"20030927")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	0	S62 and (key same xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	2	S65 and (key near5 xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	2	S65 and (key near5 xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB